


M LINE



# WALL MOUNT M LINE LINER INSERT

- EASY INSTALLATION FOR USE OVER STANDARD OF PRO-STYLE RESIDENTIAL COOKING EQUIPMENT
- AVAILABLE WITH SINGLE OR DUAL 600 CFM BLOWERS (SOLD SEPARATELY)
- 4 SPEED BLOWER CONTROL
- 50 WATT HALOGEN LIGHTS FEATURE A DUAL SWITCH FOR DIMMING TO 25 WATTS
- FEATURES A HIGH QUALITY BRUSHED STAINLESS STEEL FASCIA AND CORROSION RESISTANT STEEL CANOPY
- Includes industrial grade Stainless steel baffle filters for Maximum effectiveness
- RECOMMENDED MOUNTING HEIGHT IS 24" - 27" (MSLD) OR 27"- 30" (MPSLD) ABOVE THE COOKING SURFACE
- 12 ½" TALL, 12" TOP DEPTH, 3 ½" TALL LIP
- MSLD widths
   28 3/8", 34 3/8", 40 3/8",
   46 3/8", 52 3/8", 58 3/8",
   AND 64 3/8"
   TOP WIDTH 6" LESS THAN BOTTOM WIDTH
   19 1/4" BOTTOM DEPTH
- MPSLD WIDTHS 28 3/8", 34 3/8", 40 3/8", 46 3/8", 52 3/8", 58 3/8", AND 64 3/8"

  TOP WIDTH 6" LESS THAN BOTTOM WIDTH 22 ½" BOTTOM DEPTH



MSLD MPSLD

#### WALL MOUNT PRH 18-M

- LINEAR STYLING PERFECTLY ACCENTS THE PROFESSIONAL-STYLED KITCHEN
- FOR USE OVER STANDARD OR PRO-STYLE COOKING EQUIPMENT
- AVAILABLE WITH SINGLE OR DUAL 600 CFM BLOWERS (SOLD SEPARATELY)
- 4 SPEED BLOWER CONTROL
- 50 WATT HALOGEN LIGHTS FEATURE A DUAL SWITCH FOR DIMMING TO 25 WATTS
- Available in stainless steel
- Includes industrial grade Stainless steel baffle filters for Maximum effectiveness
- MATCHING WALL MOUNT DUCT COVERS (SOLD SEPARATELY) ARE AVAILABLE IN STANDARD SIZES FOR 8', 9', AND 10' CEILING HEIGHTS
- RECOMMENDED MOUNTING HEIGHT IS 30" ABOVE THE COOKING SURFACE
- 18" TALL, 24" BOTTOM DEPTH, 12" TOP DEPTH, 6" TALL FRONT LIP. AVAILABLE IN 27" BOTTOM DEPTH – MODEL PRXH18-M
- AVAILABLE WIDTHS 30", 36", 42", 48", 54", 60" AND 66"

### BLOWER SYSTEMS



DUAL



SINGLE



## THE VENT-A-HOOD® M LINE WARRANTY

The warranty for Vent-A-Hood® M Line products is one year on the material and workmanship and one year on the blower(s). See www.ventahood.com for details.



P.O. Box 830426 1000 N. Greenville Ave. Richardson, TX 75083-0426 800-331-2492 www.ventahood.com